

表彰・論文・学会発表

表彰

- Panellist of the Japanese Orthopaedic Association (2002)
- Panellist of the Central Japan Association of Orthopaedic Surgery & Traumatology (2001)
- Panellist of the Japanese Orthopaedic Association (1999)
- Academic Encouragement Award of the Japanese Orthopaedic Association (1999)

英語論文 —Yoshinari Goto 著—

1. Goto Y, Kawauchi S, Ihara K, Ikemoto K, Ohi R, Kawai S, Sasaki K. The prognosis in spindle-cell sarcoma depends on the expression of cyclin-dependent kinase inhibitor p27^{Kip1} and cyclin E. *Cancer Sci.* 2003; 94: 412-7
2. Ihara K, Shigetomi M, Muramatsu K, Katsume K, Kaneko N, Goto Y, Kawai S. Pedicle or free musculocutaneous flaps for shoulder defects after oncological resection. *Ann Plast Surg.* 2003; 50: 361-6.
3. Kawauchi S, Goto Y, Ihara K, Furuya T, Oga A, Tsuneyoshi M, Kawai S, Sasaki K. Survival analysis with p27 expression and apoptosis appears to estimate the prognosis of patients with synovial sarcoma more accurately. *Cancer.* 2002; 94: 2712-8.
4. Goto Y, Ihara K, Kawauchi S, Ohi R, Sasaki K, Kawai S. Clinical significance of thallium-201 scintigraphy in bone and soft tissue tumors. *J Orthop Sci.* 2002; 7: 304-12.
5. Kawauchi S, Goto Y, Liu XP, Furuya T, Oga A, Oda Y, Tsuneyoshi M, Ihara K, Sasaki K. Low expression of p27(Kip1), a cyclin-dependent kinase inhibitor, is a marker of poor prognosis in synovial sarcoma. *Cancer.* 2001; 91: 1005-12.

邦文論文 —後藤 能成 著—

1. Goto Y, Ihara K, Kawauchi S, Ikemoto K, Ohi R, Sasaki K, Kawai S. The prognosis in spindle-cell sarcoma depends on the expression of cyclin-dependent kinase inhibitor p27^{Kip1} and cyclin E. *Bessatsu Seikeigeka*; 2003; 43: 7-12
2. Ohi R, Ihara K, Goto Y, Kawai S. Frozen bone allografts for reconstruction of bone defect after excision of benign bone tumors. *Bessatsu Seikeigeka*; 2003; 43: 158-62
3. Goto Y, Ihara K, Shigetomi M, Ohi R, Miyamoto T, Yamamoto M, Kawai S. Surgical treatment of metastatic bone tumors of long bones. *Bessatsu Seikeigeka*; 2003; 43: 163-7
4. Ihara K, Shigetomi M, Muramatsu K, Goto Y, Ohi R, Kawai S. Usefulness of functioning muscle transplantation in limb salvage surgery. *Bessatsu Seikeigeka*; 2003; 43: 198-203

5. Goto Y, Ihara K, Kawauchi S, Shigetomi M, Ohi R, Sasaki K, Kawai S. The prognosis in spindle-cell sarcoma depends on the expression of p27^{Kip1} and cyclin E. *J. Jpn. Orthop. Assoc.* 2002; 76: S811
6. Goto Y, Ihara K, Kawai S. Clinical experience of *B*-TCP as bone filling material. *Transactions of the 17th symposium on apatite.* 2001; 29-30
7. Goto Y, Ihara K, Kido K, Ohi R, Kawai S. Experience with malignant bone tumor in children and adolescent. *J Jpn Paed Orthop Ass.* 2001; 10: 251
8. Goto Y, Ihara K, Ohi R, Miyamoto T, Kawai S. Clinical evaluation of surgical treatment for metastatic bone tumor in extremity. *Cent. Jpn. J. Orthop. Traumat.* 2001; 44: 1141-2
9. Goto Y, Kawauchi S, Ihara K, Kawai S, Sasaki K. The prognosis in spindle-cell sarcoma depends on the expression of cyclin-dependent kinase inhibitor p27^{Kip1} and cyclin E. *Cytometry Research.* 2001; 11: 71
10. Goto Y, Ihara K, Shigetomi M, Moriwaki T, Ouno Y, Ohi R, Kawai S. Experience in treatment of patients with pelvic tumors. *J. Jpn. Orthop. Assoc.* 2001; 75: S804
11. Goto Y, Ihara K, Moriwaki T, Ohi R, Kawai S. Clinical evaluation of surgical treatment for metastatic bone tumor in extremity. *Cent. Jpn. J. Orthop. Traumat.* 2001; 44: 85
12. Goto Y, Ihara K, Kido K, Ohi R, Kawai S. Experience with malignant bone tumor in children and adolescent. *Kyushu Paediatric orthopaedic association.* 2001; 17
13. Goto Y, Kawauchi S, Ihara K, Kawai S, Sasaki K. Usefulness of p27^{Kip1} protein for spindle cell sarcoma in the soft tissue. *Jpn. J. Cancer. Res.* 2001; 92: 315
14. Goto Y, Ihara K, Shigetomi M, Sakamoto S, Kawai S. Clinical evaluation of liposarcoma. *Cent. Jpn. J. Orthop. Traumat.* 2000; 43: 1321-2
15. Goto Y, Ihara K, Shigetomi M, Ogasa H, Sakamoto S, Ohi R, Kawai S. Clinical analysis of 24 patients with malignant fibrous histiocytoma. *Orthopaedics & Traumatology.* 2000; 49: 1129-32
16. Goto Y, Ihara K, Shigetomi M, Morinobu K, Hashiguchi A, Ohi R, Kawai S. Clinical analysis in 83 patients with soft tissue sarcomas. *J. Jpn. Orthop. Assoc.* 2000; 74: S1199
17. Goto Y, Ihara K, Shigetomi M, Sakamoto S, Kawai S. Clinical evaluation of liposarcoma. *Cent. Jpn. J. Orthop. Traumat.* 2000; 43: 114
18. Goto Y, Ihara K, Shigetomi M, Ogasa H, Ohtsuka K, Tsubone T, Kawai S. Soft tissue sarcomas with metastases at initial presentation. *Orthopaedics & Traumatology.* 2000; 49: 287-9
19. Goto Y, Ihara K, Shigetomi M, Ogasa H, Sakamoto S, Ohi R, Kawai S. Clinical

analysis of 24 patients with malignant fibrous histiocytoma. Orthopaedics & Traumatology. 1999; 48: 124

20. Goto Y, Ihara K, Shigetomi M, Katsume K, Fujimoto H, Ueno H, Kawai S. Thallium-201 scintigraphy in musculoskeletal neoplasms. J. Jpn. Orthop. Assoc. 1999; 73: S1182
21. Goto Y, Ihara K, Shigetomi M, Ogasa H, Ohtsuka K, Tsubone T, Kawai S. Soft tissue sarcomas with metastases at initial presentation. Orthopaedics & Traumatology. 1999; 48: 72
22. Goto Y. Clinical usefulness of EK-49 (Kamikihi-To) in patients with whiplash injury. Japanese Journal of Oriental medicine. 1999; 49: 111
23. Goto Y, Ihara K, Kido K, Kawai S. Clinical evaluation of synovial sarcoma. Cent. Jpn. J. Orthop. Traumat. 1999; 42: 1417-8
24. Goto Y, Ihara K, Kido K, Shigetomi M, Kawai S. Clinical evaluation of synovial sarcoma. Cent. Jpn. J. Orthop. Traumat. 1999; 42: 184
25. Goto Y, Ihara K, Nobutani K, Outuka K, Kawai S. A review of patients undergoing surgery for metastatic bone tumors of the limbs, with special reference to the quality of life. Orthopaedics & Traumatology. 1998; 47: 528-31
26. Goto Y, Ihara K, Tuchida S, Sakkha A, Sugiyama S, Shinohara M, Kawai S. Cryopreserved allografting for benign bone tumors in children. Orthopaedics & Traumatology. 1998; 47: 1033-6
27. Goto Y, Ihara K, Nobutani K, Outuka K, Kawai S. A review of patients undergoing surgery for metastatic bone tumors of the limbs, with special reference to the quality of life. Orthopaedics & Traumatology. 1997; 49
28. Goto Y, Ihara K, Tuchida S, Sakkha A, Sugiyama S, Shinohara M, Kawai S. Cryopreserved allografting for benign bone tumors in children. Orthopaedics & Traumatology. 1997; 37
29. Goto Y, Mine T, Kido K, Tanaka H, Outuka K, Kawai S. Retrospective analysis on cases with pyogenic arthritis of the knee. J. C-S. Orthop. Assoc. 1996; 8: 383-6

学会発表 一国外一

1. Goto Y, Ihara K, Shigetomi M, Ohi R, Kawai S. Surgical treatment for metastatic bone tumors of the extremity with special reference to the quality of life. Proceedings from 11th International symposium on limb salvage. 2001; 19
2. Goto Y, Ihara K, Kawauchi S, Sasaki K, Kawai S. The expression of cyclin-dependent kinase inhibitor. Proceedings from 11th International symposium on limb salvage. 2001; 103
3. Ihara K, Shigetomi M, Muramatsu K, Goto Y, Ohno T, Ohi R, Kawai S. The

usefulness of pedicled flaps in the surgical management of sarcomas. Proceedings from 11th International symposium on limb salvage. 2001; 125

4. Goto Y, Ihara K, Kido K, Ohi R, Kawai S. Experience with malignant bone tumor in children and adolescent. The 2nd Congress of the International Federation of Pediatric Orthopaedic Societies. 2001; 251
5. Goto Y, Ihara K, Kawai S. Usefulness of thallium scintigraphy in musculoskeletal neoplasms. The 3rd meeting of the Asia Pacific Musculoskeletal Tumor Society. 2000; 62.
6. Ihara K, Goto Y, Tsuchida S, Sakka A, Ohi R, Kawai S. Cryopreserved allograft for benign bone tumors in children and adolescent. The 3rd meeting of the Asia Pacific Musculoskeletal Tumor Society. 2000; 21

学会発表 一国内一

1. Goto Y, Ihara K, Kawauchi S, Shigetomi M, Ohi R, Sasaki K, Kawai S. The prognosis in spindle-cell sarcoma depends on the expression of p27^{Kip1} and cyclin E. The 35th Annual Musculoskeletal Tumor Meeting of Japanese Orthopaedic Association. 2002; 76: S811
2. Goto Y, Ihara K, Kido K, Ohi R, Kawai S. Experience with malignant bone tumor in children and adolescent. Kyushu Paediatric Orthopaedic Association. 2001; 17
3. Goto Y, Ihara K, Kawai S. Clinical experience of *B*-TCP as bone filling material. Transactions of the 17th symposium on apatite. 2001; 29-30
4. Goto Y, Kawauchi S, Ihara K, Kawai S, Sasaki K. Usefulness of p27^{Kip1} protein for spindle cell sarcoma in the soft tissue. 60th Annual Meeting of the Japanese Cancer Association. 2001; 92: 315
5. Goto Y, Ihara K, Shigetomi M, Moriwaki T, Ouno Y, Ohi R, Kawai S. Experience in treatment of patients with pelvic tumors. The 34th Annual Musculoskeletal Tumor Meeting of Japanese Orthopaedic Association. 2001; 75: S804
6. Goto Y, Kawauchi S, Ihara K, Kawai S, Sasaki K. The prognosis in spindle-cell sarcoma depends on the expression of cyclin-dependent kinase inhibitor p27^{Kip1} and cyclin E. Japan Cytometry Society. 2001; 11: 71
7. Goto Y, Ihara K, Shigetomi M, Moriwaki T, Ouno Y, Ohi R, Kawai S. Experience in treatment of patients with pelvic tumors. Yamaguchi Conference of Pelvic Tumors. 2001
8. Goto Y, Ihara K, Ohi R, Miyamoto T, Kawai S. Clinical evaluation of surgical treatment for metastatic bone tumor in extremity. The 96th Annual Meeting of the Central Japan Orthopaedic Surgery and Traumatology. 2001; 44: 85
9. Goto Y, Ihara K, Kido K, Ohi R, Kawai S. Experience with malignant bone tumor

- in children and adolescent. The 101th Yamaguchi Orthopaedic Meeting. 2001
10. Goto Y, Ihara K, Moriwaki T, Ohi R, Kawai S. Clinical evaluation of surgical treatment for metastatic bone tumor in extremity. The 62th Yamaguchi Oncology Seminar. 2001; 4
 11. Goto Y. Giant cell tumor of the femur: Case report. The 11th Sanyo Musculoskeletal Tumors Conference. 2000
 12. Goto Y, Ihara K, Shigetomi M, Morinobu K, Hashiguchi A, Ohi R, Kawai S. Clinical analysis in 83 patients with soft tissue sarcomas. The 100th Yamaguchi Orthopaedic Meeting. 2000
 13. Goto Y, Ihara K, Shigetomi M, Morinobu K, Hashiguchi A, Ohi R, Kawai S. Clinical analysis in 83 patients with soft tissue sarcomas. The 33rd Annual Musculoskeletal Tumor Meeting of Japanese Orthopaedic Association. 2000; 74: S1199
 14. Goto Y, Ihara K, Shigetomi M, Sakamoto S, Kawai S. Clinical evaluation of liposarcoma. The 94nd Annual Meeting of the Central Japan Orthopaedic Surgery and Traumatology. 2000; 43: 114
 15. Goto Y. Desmoid tumor of the radius: Case report. The 3rd Central Japan Musculoskeletal Tumors Conference. 2000; 2
 16. Goto Y. Phase II Chemotherapy for Advanced Adult Soft Tissue Sarcomna: Case report. The 51th Annual Meeting of Japanese Musculoskeletal Oncology Group. 2000
 17. Goto Y. Desmoid tumor of the radius: Case report. The 10th Sanyo Musculoskeletal Tumors Conference. 2000
 18. Goto Y, Ihara K, Shigetomi M, Sakamoto S, Kawai S. Clinical evaluation of liposarcoma. The 99th Yamaguchi Orthopaedic Meeting. 2000
 19. Goto Y, Ihara K, Shigetomi M, Ogasa H, Sakamoto S, Ohi R, Kawai S. Clinical analysis of 24 patients with malignant fibrous histiocytoma. The 98th West-Japanese Society of Orthopedics. 1999; 48: 124
 20. Goto Y Desmoid tumor of the humerus: Case report. The 9th Sanyo Musculoskeletal Tumors Conference. 1999
 21. Goto Y, Ihara K, Shigetomi M, Katsume K, Fujimoto H, Ueno H, Kawai S. Thallium-201 scintigraphy in musculoskeletal neoplasms. The 32nd Annual Musculoskeletal Tumor Meeting of Japanese Orthopaedic Association. 1999; 73: S1182
 22. Goto Y Desmoid tumor of the humerus: Case report. The 10th West-Japanese Musculoskeletal Tumors Conference. 1999

23. Goto Y, Ihara K, Shigetomi M, Ogasa H, Ohtsuka K, Tsubone T, Kawai S. Soft tissue sarcomas with metastases at initial presentation. The 97th West-Japanese Society of Orthopedics. 1999; 48: 72
24. Goto Y. Clinical usefulness of EK-49 (Kamikihi-To) in patients with whiplash injury. The 50th Japan Society for Oriental medicine. 1999; 49: 111
25. Goto Y, Ihara K, Kido K, Kawai S. Clinical evaluation of synovial sarcoma. The 92nd Annual Meeting of the Central Japan Orthopaedic Surgery and Traumatology. 1999; 42: 184
26. Goto Y, Mine T, Kawai S. Fatigue fracture of the tibia after the surgery of patella partita. The 97th Yamaguchi Orthopaedic Meeting. 1999
27. Goto Y, Ihara K, Tuchida S, Sakkha A, Sugiyama S, Shinohara M, Kawai S. Cryopreserved allografting for benign bone tumors in children. The 94th West-Japanese Society of Orthopedics. 1997; 37
28. Goto Y, Ihara K, Nobutani K, Outuka K, Kawai S. A review of patients undergoing surgery for metastatic bone tumors of the limbs, with special reference to the quality of life. The 93th West-Japanese Society of Orthopedics. 1997; 49
29. Goto Y, Ihara K, Kawai S. A review of patients undergoing surgery for metastatic bone tumors of the limbs. The 88th Yamaguchi Orthopaedic Meeting. 1997
30. Goto Y, Mine T, Kido K, Tanaka H, Outuka K, Kawai S. Retrospective analysis on cases with pyogenic arthritis of the knee. The 28th Chugoku-Shikoku Orthopaedic Association 1995; 66